



Water Cooled 50KW Diesel Generator Cummins Genset 50HZ / 60HZ

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-C22~C66
- Minimum Order Quantity: 1 PC
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



Product Specification

- Name: 50KW Diesel Generator Cummins
- Engine Brand: Cummins
- Cooling Method: Water-Cooling System
- Fuel Type: Diesel
- Rated Frequency: 50HZ/60HZ
- Speed: 1500RPM/1800RPM
- Warranty: 12 Months/1000 Hours
- Highlight: **50KW Diesel Generator Cummins, 50kw Cummins Generator, Cummins Genset**

for more products please visit us on dellentpower.com

CE Cummins Diesel Generator about 50kW.

Our Cummins diesel generators are known for their durability, fuel efficiency, and low maintenance requirements. With Cummins engines at their core, these generators offer reliable power output that can be trusted for a range of applications. From backup power for homes and businesses to powering construction sites and events, our Cummins diesel generators deliver the power you need when you need it.

We also prioritize ease of use and maintenance for our customers. Our generators are designed with a user-friendly interface and easy access to key components for maintenance and repairs. Regular maintenance is essential for the longevity and optimal performance of your generator, and our team can provide support and guidance for creating a maintenance schedule that suits your specific needs.

. PRODUCT

50-60 Hz TECHNICAL DATA											
Model	Rated Power (kW)	Rated Power (kVA)	Rated Voltage (V)	Rated Frequency (Hz)	Rated Current (A)	Rated Speed (rpm)	Rated Efficiency (%)	Rated Power Factor	Rated Output (kWh)	Rated Output (kVAh)	Rated Output (kWh/kVAh)
CE-020	20	26.7	230	50	80.1	1500	92.5	0.8	1000	1200	1.2
CE-025	25	32.5	230	50	96.2	1500	92.5	0.8	1250	1500	1.2
CE-030	30	38.3	230	50	114.6	1500	92.5	0.8	1500	1800	1.2
CE-035	35	44.2	230	50	133.0	1500	92.5	0.8	1750	2100	1.2
CE-040	40	50.0	230	50	151.4	1500	92.5	0.8	2000	2400	1.2
CE-045	45	55.8	230	50	169.8	1500	92.5	0.8	2250	2700	1.2
CE-050	50	61.7	230	50	188.2	1500	92.5	0.8	2500	3000	1.2
CE-055	55	67.5	230	50	206.6	1500	92.5	0.8	2750	3300	1.2
CE-060	60	73.4	230	50	225.0	1500	92.5	0.8	3000	3600	1.2
CE-065	65	79.3	230	50	243.4	1500	92.5	0.8	3250	3900	1.2
CE-070	70	85.1	230	50	261.8	1500	92.5	0.8	3500	4200	1.2
CE-075	75	91.0	230	50	280.2	1500	92.5	0.8	3750	4500	1.2
CE-080	80	96.8	230	50	298.6	1500	92.5	0.8	4000	4800	1.2
CE-085	85	102.7	230	50	317.0	1500	92.5	0.8	4250	5100	1.2
CE-090	90	108.5	230	50	335.4	1500	92.5	0.8	4500	5400	1.2
CE-095	95	114.4	230	50	353.8	1500	92.5	0.8	4750	5700	1.2
CE-100	100	120.2	230	50	372.2	1500	92.5	0.8	5000	6000	1.2
CE-105	105	126.1	230	50	390.6	1500	92.5	0.8	5250	6300	1.2
CE-110	110	131.9	230	50	409.0	1500	92.5	0.8	5500	6600	1.2
CE-115	115	137.8	230	50	427.4	1500	92.5	0.8	5750	6900	1.2
CE-120	120	143.6	230	50	445.8	1500	92.5	0.8	6000	7200	1.2
CE-125	125	149.5	230	50	464.2	1500	92.5	0.8	6250	7500	1.2
CE-130	130	155.3	230	50	482.6	1500	92.5	0.8	6500	7800	1.2
CE-135	135	161.2	230	50	501.0	1500	92.5	0.8	6750	8100	1.2
CE-140	140	167.0	230	50	519.4	1500	92.5	0.8	7000	8400	1.2
CE-145	145	172.9	230	50	537.8	1500	92.5	0.8	7250	8700	1.2
CE-150	150	178.7	230	50	556.2	1500	92.5	0.8	7500	9000	1.2
CE-155	155	184.6	230	50	574.6	1500	92.5	0.8	7750	9300	1.2
CE-160	160	190.4	230	50	593.0	1500	92.5	0.8	8000	9600	1.2
CE-165	165	196.3	230	50	611.4	1500	92.5	0.8	8250	9900	1.2
CE-170	170	202.1	230	50	629.8	1500	92.5	0.8	8500	10200	1.2
CE-175	175	208.0	230	50	648.2	1500	92.5	0.8	8750	10500	1.2
CE-180	180	213.8	230	50	666.6	1500	92.5	0.8	9000	10800	1.2
CE-185	185	219.7	230	50	685.0	1500	92.5	0.8	9250	11100	1.2
CE-190	190	225.5	230	50	703.4	1500	92.5	0.8	9500	11400	1.2
CE-195	195	231.4	230	50	721.8	1500	92.5	0.8	9750	11700	1.2
CE-200	200	237.2	230	50	740.2	1500	92.5	0.8	10000	12000	1.2
CE-205	205	243.1	230	50	758.6	1500	92.5	0.8	10250	12300	1.2
CE-210	210	248.9	230	50	777.0	1500	92.5	0.8	10500	12600	1.2
CE-215	215	254.8	230	50	795.4	1500	92.5	0.8	10750	12900	1.2
CE-220	220	260.6	230	50	813.8	1500	92.5	0.8	11000	13200	1.2
CE-225	225	266.5	230	50	832.2	1500	92.5	0.8	11250	13500	1.2
CE-230	230	272.3	230	50	850.6	1500	92.5	0.8	11500	13800	1.2
CE-235	235	278.2	230	50	869.0	1500	92.5	0.8	11750	14100	1.2
CE-240	240	284.0	230	50	887.4	1500	92.5	0.8	12000	14400	1.2
CE-245	245	290.0	230	50	905.8	1500	92.5	0.8	12250	14700	1.2
CE-250	250	295.8	230	50	924.2	1500	92.5	0.8	12500	15000	1.2
CE-255	255	301.7	230	50	942.6	1500	92.5	0.8	12750	15300	1.2
CE-260	260	307.5	230	50	961.0	1500	92.5	0.8	13000	15600	1.2
CE-265	265	313.4	230	50	979.4	1500	92.5	0.8	13250	15900	1.2
CE-270	270	319.2	230	50	997.8	1500	92.5	0.8	13500	16200	1.2
CE-275	275	325.1	230	50	1016.2	1500	92.5	0.8	13750	16500	1.2
CE-280	280	330.9	230	50	1034.6	1500	92.5	0.8	14000	16800	1.2
CE-285	285	336.8	230	50	1053.0	1500	92.5	0.8	14250	17100	1.2
CE-290	290	342.6	230	50	1071.4	1500	92.5	0.8	14500	17400	1.2
CE-295	295	348.5	230	50	1089.8	1500	92.5	0.8	14750	17700	1.2
CE-300	300	354.3	230	50	1108.2	1500	92.5	0.8	15000	18000	1.2
CE-305	305	360.2	230	50	1126.6	1500	92.5	0.8	15250	18300	1.2
CE-310	310	366.0	230	50	1145.0	1500	92.5	0.8	15500	18600	1.2
CE-315	315	371.9	230	50	1163.4	1500	92.5	0.8	15750	18900	1.2
CE-320	320	377.7	230	50	1181.8	1500	92.5	0.8	16000	19200	1.2
CE-325	325	383.6	230	50	1200.2	1500	92.5	0.8	16250	19500	1.2
CE-330	330	389.4	230	50	1218.6	1500	92.5	0.8	16500	19800	1.2
CE-335	335	395.3	230	50	1237.0	1500	92.5	0.8	16750	20100	1.2
CE-340	340	401.1	230	50	1255.4	1500	92.5	0.8	17000	20400	1.2
CE-345	345	407.0	230	50	1273.8	1500	92.5	0.8	17250	20700	1.2
CE-350	350	412.8	230	50	1292.2	1500	92.5	0.8	17500	21000	1.2
CE-355	355	418.7	230	50	1310.6	1500	92.5	0.8	17750	21300	1.2
CE-360	360	424.5	230	50	1329.0	1500	92.5	0.8	18000	21600	1.2
CE-365	365	430.4	230	50	1347.4	1500	92.5	0.8	18250	21900	1.2
CE-370	370	436.2	230	50	1365.8	1500	92.5	0.8	18500	22200	1.2
CE-375	375	442.1	230	50	1384.2	1500	92.5	0.8	18750	22500	1.2
CE-380	380	447.9	230	50	1402.6	1500	92.5	0.8	19000	22800	1.2
CE-385	385	453.8	230	50	1421.0	1500	92.5	0.8	19250	23100	1.2
CE-390	390	459.6	230	50	1439.4	1500	92.5	0.8	19500	23400	1.2
CE-395	395	465.5	230	50	1457.8	1500	92.5	0.8	19750	23700	1.2
CE-400	400	471.3	230	50	1476.2	1500	92.5	0.8	20000	24000	1.2
CE-405	405	477.2	230	50	1494.6	1500	92.5	0.8	20250	24300	1.2
CE-410	410	483.0	230	50	1513.0	1500	92.5	0.8	20500	24600	1.2
CE-415	415	488.9	230	50	1531.4	1500	92.5	0.8	20750	24900	1.2
CE-420	420	494.7	230	50	1549.8	1500	92.5	0.8	21000	25200	1.2
CE-425	425	500.6	230	50	1568.2	1500	92.5	0.8	21250	25500	1.2
CE-430	430	506.4	230	50	1586.6	1500	92.5	0.8	21500	25800	1.2
CE-435	435	512.3	230	50	1605.0	1500	92.5	0.8	21750	26100	1.2
CE-440	440	518.1	230	50	1623.4	1500	92.5	0.8	22000	26400	1.2
CE-445	445	524.0	230	50	1641.8	1500	92.5	0.8	22250	26700	1.2
CE-450	450	529.8	230	50	1660.2	1500	92.5	0.8	22500	27000	1.2
CE-455	455	535.7	230	50	1678.6	1500	92.5	0.8	22750	27300	1.2
CE-460	460	541.5	230	50	1697.0	1500	92.5	0.8	23000	27600	1.2
CE-465	465	547.4	230	50	1715.4	1500	92.5	0.8	23250	27900	1.2
CE-470	470	553.2	230	50	1733.8	1500	92.5	0.8	23500	28200	1.2
CE-475	475	559.1	230	50	1752.2	1500	92.5	0.8	23750	28500	1.2
CE-480	480	564.9	230	50	1770.6	1500	92.5	0.8	24000	28800	1.2
CE-485	485	570.8	230	50	1789.0	1500	92.5	0.8	24250	29100	1.2
CE-490	490	576.6	230	50	1807.4	1500	92.5	0.8	24500	29400	1.2
CE-495	495	582.5	230	50	1825.8	1500	92.5	0.8	24750	29700	1.2
CE-500	500	588.3	230	50	1844.2	1500	92.5	0.8	25000	30000	1.2

. Why Choose Us:

Dedicated
We are DEDICATED to meet Customers' need.

Enthusiasm
We respond to our Customers' ENTHUSIASM

Loyalty
We cherish our Customers' LOYALTY

Luxury
We aim to establish our own LUXURY brand

Efficient
We offer our EFFICIENT service

Newest
We adopt NEWEST technologies for products

Trust
We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



FAQ

Q: What's your delivery time?

A: Standard product 20 days - 30 days.

Q: Can we add our logo to products?

A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

Q: Can we customize the product?

A: We have a very experienced technical team, we can customize any product according to your requirements, such as synchronization system, wet exhaust system, ultra-silent system



Fuan Dellent Electric & Machinery Co., Ltd.

+8613706938606

jennifer@dellent.com

dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN,CHINA