SDEC 200kw Diesel Generator 3 Phase With Water Cooling System

Basic Information

Place of Origin: CHINA
Brand Name: DELLENT
Certification: CE/ISO9001
Model Number: DE-SC275
Minimum Order Quantity: 1 PC

Price: bargain face-to-face

Packaging Details: PLASTIC WRAP OR PLYWOOD CASE

Delivery Time: 20-30 DAYSPayment Terms: L/C, T/T

• Supply Ability: 1 MONTH 600PCS



Product Specification

Name: SDEC 200kw Diesel Generator

• Engine Brand: SDEC

Cooling Method: Water-Cooling System

Fuel Type: DieselRated Frequency: 50HZ/60HZ

Speed: 1500RPM/1800RPMWarranty: 12 Months/1000 Hours

• Highlight: SDEC 200kw Diesel Generator,

200kw Diesel Generator 3 Phase, 200 Kw 3 Phase Generator

CE SDEC Diesel Generator about 200kW.

As an authorized SDEC generator dealer, we offer a wide range of models to suit any power needs and budget. From compact and portable generators to heavy-duty industrial generators, we have the expertise and resources to help you find the perfect generator for your needs.

. PRODUĆT

Specification	s 50Hz 4	100-230	V.		WATER-COOLED Series Diesel Generator Sets General specifications						
GENSETS		ime wer		andby ower		Engine					Silent Type Compact Version
		kVA	KW	kVA		kW					Dimension L+W+H mm
DE-SC35	25	31	28	35	4H4.3-G21	33	4L	105	124	Electric	1750×800×1200
DE-SC51	37	46	41	51	4H4.3-G22	46	4L	105	124	Electric	1750×800×1200
DE-SC63	45	56	50	63	4HT4.3-G21	56	4L	105	124	Electric	1900×800×1280
DE-SC76	55	69	61	76	4HT4.3-G22	68	4L	105	124	Electric	1900×800×1280
DE-SC94	68	85	75	94	4HT4.3-G23	86	4L	105	124	Electric	2200×900×1350
DE-SC110	80	100	88	110	4HTAA4.3-G21	105	4L	105	124	Electric	2200×900×1445
DE-SC124	90	113	99	124	4HTAA4.3-G23	116	4L	105	124	Electric	2200×900×1445
DE-SC138	100	125	110	138	4HTAA4 3-G22	132	4L	105	124	Electric	2350×900×1445
DE-SC138	100	125	110	138	4HTAA4 3-G36	140	4L	105	124	ECU	2350*900*1445
DE-SC151	110	138	121	151	6HTAA6.5-G21	141	SL.	105	124	Electric	2400×930×1540
DE-SC165	120	150	132	165	6HTAA6.5-G22	155	6L	105	124	Electric	2400×930×1540
DE-SC206	150	188	165	206	6HTAA6.5-G23	185	6L	105	124	Electric	2400×930×1540
DE-SC220	160	200	176	220	6DTAA8.9-G21	204	6L	114	144	Electric	2550×1020×1680
DE-SC248	180	225	198	248	6DTAA8.9-G24	228	6L	114	144	Electric	2550×1020×1680
DE-SC261	190	238	209	261	6DTAA8 9-G22	242	6L	114	144	Electric	2550×1020×1680
DE-SC275	200	250	220	275	6DTAA8.9-G23	253	6L	114	144	Electric	2550×1020×1680 3100×1100×1850
DE-SC303 DE-SC316	220	288	253	303	6ETAA 10.4-G21	280	6L 6L	128	144	Electric	3100×1100×1850 3100×1100×1850
DE-SC316	280	350	308	385	6ETAA11 8-G21	338	6L	128	153	Electric	3100×1100×1850
DE-SC413	300	375	330	413	6ETAA11.8-G31	380	6L	128	153	Electric	3100×1100×1850
DE-SC481	350	438	385	481	6ETAA12.8-G21	420	6L	128	153	Electric	3100×1100×1850
DE-SC481	350	438	385	481	6ETAA12.8-G31	420	61	128	153	FCU	3500X1400X1900
DE-SC550	400	500	440	550	6KTAA25-G36	506	6L	170	185	ECU	3500X1400X1900
DE-SC633	460	575	506	633	6KTAA25-G35	572	6L	170	185	ECU	3500X1400X1900
DE-SC701	510	638	561	701	6KTAA25-G34	629	6L	170	185	ECU	4500×1570×2135
DE-SC756	550	888	605	756	6KTAA25-G33	684	6L	170	185	FCU	4500×1570×2135
DE-SC853	620	775	682	853	6KTAA25-G32	754	6L	170	185	ECU	4500×1570×2135
DE-SC894	650	813	715	894	6KTAA25-G31	800	6L	170	185	ECU	4500×1570×2135
						DEC					
DE-SC69SC	50	63	55	69	SC4H95D2	68	41.	105	124	Electric	1900×800×1280
DE-SC94SC	68	85	75	94	SC4H115D2	86	4L	105	124	Electric	1900*800*1280
DE-SC124SC	90	113	99	124	SC4H16002	116	4L	105	124	Electric	1900×800×1280
DE-SC138SC	100	125	110	138	SC4H180D2	132	41.	105	124	Electric	1900×800×1280
DE-SC179SC	130	163	143	179	SC7H220D2	165	6L	114	135	Electric	2200+900×1350
DE-SC187SC	136	170	150	187	SC7H230D2	170	6L	105	124	Electric	2200×900×1350
DE-SC206SC	150	188	165	206	SC7H250D2	185	6L	105	124	Electric	2400×930×1540
DE-SC227SC	165	206	182	227	SC8D280D2	204	6L	114	135	Electric	2550×1020×1680
DE-SC248SC	180	225	198	248	SC9D310D2	228	6L	114	144	Electric	2550×1020×1680
DE-SC275SC	200	250	220	275	SC9D340D2	255	6L	114	144	Electric	2550×1020×1680
DE-SC303SC	220	275	242	303	SC10E380D2	280	6L	128	135	Electric	2550×1020×1680
DE-SC344SC	250	313	275	344	SC12E420D2	308	6L	128	153	Electric	3100×1100×1850
DE-SC375SC	280	350	300	375	SC12E46002	338	6L	128	153	Electric	3100×1100×1850
DE-SC495SC	360	450	396	495	SC25G610D2	445	12V	135	150	Electric	3500×1400×1900
DE-SC550SC	400	500	440	550	SC25G690D2	505	12V	135	150	Electric	3500×1400×1900
DE-SC619SC	450	563	495	619	SC27G755D2	560	12V	135	155	Electric	3500×1400×1900
DE-SC688SC	500	625	550	688	SC27G830D2	610	12V	135	155	Electric	4500×1570×2135
DE-SC756SC	550	688	605	756	SC27G900D2	662	127	135	155	Electric	4500×1570×2135

. Why Choose Us:



We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

rust

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



















. FACTORY INTERIOR:













FAO

Q: What's your delivery time?

A: Standard product 20 days - 30 days.

Q: Can we add our logo to products?

A: Yes, there are several ways to do this. We can put the label of your logo on the products or make the silk print of your logo on the products. It is free.

Q: Can we customize the product?

A: We have a very experienced technical team, we can customize any product according to your requirements, such as synchronization system, wet exhaust system, ultra-silent system



Fuan Dellent Electric & Machinery Co., Ltd.





+8613706938606 jennifer@dellent.com edellentpower.com



NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY,NINGDECITY,FUJIAN.CHINA